



### MENINGITIS INFORMATION RESPONSE FORM

New York State Public Health Law requires that all enrolled college and university students complete and return the following form to:

Orange County Community College  
Wellness Center  
115 South Street  
Middletown, NY 10940  
Phone: (845) 341-4870 Fax: (845) 341-4872

*Please note that according to NYS Public Health Law, no institution shall permit any student to attend the institution in excess of 30 days without complying with this law. The 30 day period may be extended to 60 days if a student can show a good faith effort to comply.*

#### CHECK ONE BOX AND SIGN BELOW:

**I have** (for students under the age of 18, signature of parent is required):

- ☐ **HAD** the Meningococcal Meningitis immunization within the past 5 years.  
Date received: \_\_\_\_\_ (**Please attach medical documentation**).
- ☐ **READ** the Meningitis Fact Sheet or have had explained to me the information regarding meningococcal meningitis disease. I understand the risks of not receiving the vaccine. I have decided that I (*my child*) will **NOT** obtain immunization against meningococcal meningitis.

**SIGNATURE:** \_\_\_\_\_  
Student (Parent/Guardian if student is a minor)

**DATE:** \_\_\_\_\_

**PRINT STUDENT's NAME:** \_\_\_\_\_

**STUDENT's  
DATE OF BIRTH:** \_\_\_\_/\_\_\_\_/\_\_\_\_

**MAILING ADDRESS:** \_\_\_\_\_

**STUDENT's "A" #:** \_\_\_\_\_

**STUDENT's PHONE:** \_\_\_\_\_

**CELL PHONE:** \_\_\_\_\_

## Meningococcal Disease

New York State PHL Section 2167 requires post-secondary institutions to distribute information about meningococcal disease and vaccination to the students, or parents or guardians of students under the age of 18. The institution is required to maintain a record of the following for each student: a response to receipt of meningococcal meningitis disease and vaccine information signed by the student or the student's parent or guardian and either a certificate of Immunization for meningococcal meningitis disease; or an acknowledgement of meningococcal disease risks and refusal of meningococcal meningitis immunization.

For more information: [www.health.ny.gov/prevention/immunization/handbook/](http://www.health.ny.gov/prevention/immunization/handbook/)

**What is meningococcal disease?** Meningococcal disease is caused by bacteria called *Neisseria meningitidis*. It can lead to serious blood infections. When the linings of the brain and spinal cord become inflamed, it is called meningitis. The disease strikes quickly and can have serious complications, including death. Anyone can get meningococcal disease.

**Who is at risk?** This disease occurs more often in people who are: teenagers or young adults, infants younger than one year of age, living in crowded settings, such as college dormitories or military barracks, traveling to areas outside of the United States, such as the “meningitis belt” in Africa, Living with a damaged spleen or no spleen, Being treated with Soliris® or, who have complement component deficiency (an inherited immune disorder), Exposed during an outbreak, working with meningococcal bacteria in a laboratory

**What are the symptoms?** Symptoms appear suddenly – usually 3 to 4 days after a person is infected. It can take up to 10 days to develop symptoms. Symptoms may include: A sudden high fever, Headache, Stiff neck (meningitis), Nausea and vomiting, Red-purple skin rash, Weakness and feeling very ill, Eyes sensitive to light.

**How is meningococcal disease spread?** It spreads from person-to-person by coughing or coming into close or lengthy contact with someone who is sick or who carries the bacteria. Contact includes kissing, sharing drinks, or living together. Up to one in 10 people carry meningococcal bacteria in their nose or throat without getting sick.

**Is there treatment?** Early diagnosis of meningococcal disease is very important. If it is caught early, meningococcal disease can be treated with antibiotics. But, sometimes the infection has caused too much damage for antibiotics to prevent death or serious long-term problems. Most people need to be cared for in a hospital due to serious, life-threatening infections.

**What are the complications?** Ten to 15 percent of those who get meningococcal disease die. Among survivors, as many as one in five will have permanent disabilities. Complications include: hearing loss, brain damage, kidney damage, limb amputations.

**What should I do if I or someone close to me is exposed?** If you are in close contact with a person with meningococcal disease, talk with your health care provider about the risk to you and your family. They can prescribe an antibiotic to prevent the disease.

**What is the best way to prevent meningococcal disease?** The single best way to prevent this disease is to be vaccinated. Vaccines are available for people 6 weeks of age and older. Various vaccines offer protection against the five major strains of bacteria that cause meningococcal disease. All teenagers should receive two doses of vaccine against strains A, C, W and Y. The first dose is given at 11 to 12 years of age, and the second dose (booster) at age 16. It is very important that teens receive the booster dose at age 16 in order to protect them through the years when they are at greatest risk of meningococcal disease. Teens and young adults can also be vaccinated against the “B” strain. Talk to your health care provider if you have not received two doses of vaccine against meningococcal strains A, C, W and Y or against the “B” strain.

**Who else should receive the vaccine?** Infants, People with certain medical conditions, People exposed during an outbreak, Travelers to the “meningitis belt” of sub-Saharan Africa, Military recruits. Please speak with your health care provider if you may be at increased risk.

**What are the meningococcal vaccine requirements for school attendance?** As of September 1, 2016, children entering grades 7 and 12 must be immunized against meningococcal disease strains A, C, W and Y according to the recommendations listed above.

**Is there an increased risk for meningococcal disease if I travel?** Meningococcal disease and outbreaks occur in the United States and around the world. The disease is more common in the “meningitis belt” of sub-Saharan Africa. The risk is highest in people who visit these countries and who have prolonged contact with local populations during an epidemic. To reduce your risk of illness, wash your hands often, maintain healthy habits such as getting plenty of rest and try not to come into contact with people who are sick.

### Travel and meningococcal disease:

[wwwnc.cdc.gov/travel/diseases/meningococcal-disease](http://wwwnc.cdc.gov/travel/diseases/meningococcal-disease)

### Learn more about meningococcal disease:

[www.cdc.gov/meningococcal/](http://www.cdc.gov/meningococcal/)

**For more information about vaccine-preventable diseases:** [www.health.ny.gov/prevention/immunization/](http://www.health.ny.gov/prevention/immunization/)